

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

66/T60" 66E86E60




FIG. 1

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

662760-6628660





FIG. 2

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

652T60" 66E36E60

area of zoom for Figure 7 :



area of zoom for Figures 8 and 9

FIG. 3

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

664150" 66E86E60





FIG. 4

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		


66/T60" 66E86E60




Length of Probe (G3PDH-570)

FIG. 5

APPROVED	O.G. FIG.
BY	CLASS SUBCLASS
DRAFTSMAN	



**I: 5'-O-Dimethoxytrityl-1',2'-Dideoxyribose-3'-
[(2-cyanoethyl)-(N,N-diisopropyl)]-phosphoramidite**



**II: 9'-O-Dimethoxytrityl-triethyleneglycol,
1-[(2-cyanoethyl)-(N,N-diisopropyl)]-phosphoramidite**

FIG. 6

093859 091799
662760-662866


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

66/T60" 66E96E60

background feature

positive control

Row 1:



Row 2:

pbp2-867 (#112)

positive control

background feature (#115)

pbp2-867 (#118)

FIG. 7

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

664760" 66E86E60





FIG. 8

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

664760-66E86E60


FIG. 9



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

66E8660

FIG. 10



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

664760" 66695660

FIG. 11





FIG. 12



APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

662750" 66E86E50




FIG. 13